

Large Layout on Back

PERMIT NUMBER 06294

**GRANVILLE-VANCE DISTRICT HEALTH DEPARTMENT
IMPROVEMENT AND OPERATION PERMITS**

COUNTY: <u>Granville</u>	TAX NO. <u>18050</u>	TYPE OF ESTABLISHMENTS			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS. *THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USES CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL. PERMIT VALID FOR: 5 YEARS YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> <u>Exp. 2020</u> NO EXPIRATION YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> <u>(Updated)</u>
	SR. NO. <u>1701</u>	RESIDENCE <input checked="" type="checkbox"/> BUSINESS <input type="checkbox"/> OTHER <input type="checkbox"/>	NUMBER OF BEDROOMS: <u>4</u>	NUMBER OF OCCUPANTS: <u>1</u>	
OWNER: <u>Daniel & Martina Singleton</u>	WATER SUPPLY	WELL <input type="checkbox"/> PUBLIC <input type="checkbox"/>	OTHER <input type="checkbox"/>		
APPLICANT'S ADDRESS: <u>164 Northside Road Cresskill, NJ 07622</u>	TYPE OF WASTEWATER SYSTEM	INITIAL <input checked="" type="checkbox"/> INSTALLATION	REPAIR		
PROPERTY ADDRESS/LOCATION: <u>3100 Weaver Trail Dutchville Drive</u>	DESIGN FLOW:	<u>480 gal/day</u>			
SUBDIVISION: <u>3100 Old Weaver Trail</u>	LTAR:	<u>.3</u>			
LOT NUMBER: <u>Tract #1</u>	ABSORPTION AREA:	<u>1200 sq ft</u>			
REFERENCE SKETCH (SEE PLAT FOR DETAILS) <u>See sketch on back.</u>	TRENCH DEPTH:	<u>18"-24"</u>			
<u>Big trenches 18"-24" deep level on contour. They at least 10' from house foundation drain, 10' from property line, + 100' from any well. Do not install or call for inspection in rain.</u>	TRENCH SPACING:	<u>9' 04" center to center</u>			
	TOTAL TRENCH LENGTH:	<u>400 ft.</u>			
	NUMBER OF TRENCHES:	<u>4</u>			
	GRAVEL DEPTH:	<u>Accepted Status</u>			
	TANK SIZE:	<u>1000 gal</u>			
	PUMP TANK SIZE:				
	DISTRIBUTION DEVICE:	<u>D-Box</u>			

IMPROVEMENT PERMIT

DATE: 4-23-07 / 8-15-2011

FOR: Mary Roberts

ISSUED BY: M.E. Mount, P.S.

8-3-2015 DC

CONSTRUCTION AUTHORIZATION FOR IMPROVEMENT PERMIT# 06294

Unless otherwise indicated, the same conditions above apply regarding system type, layout, location and installation requirements.

(The wastewater system cannot be installed until authorization is signed)

Comments: Install French Drain - use 12" bucket - 36"-48" deep. Call Health Dept. to confirm site before construction.

Date: 4-23-07 Environmental Health Specialist: M.E. Mount, P.S.

Construction Authorization Addendum Yes No

OPERATION PERMIT

DATE:

SYSTEM INSTALLED BY:

ISSUED BY: