



NOW OR FORMERLY
PETE MULL & OTHERS
PLAT CABINET 1, SLIDE 200A, PLAT 18
DEED BOOK 881 PAGE 413

(NAD 83 / 2011) NAVD 1988
AVERAGE COMBINED
FACTOR USED 1.00011558



NOW OR FORMERLY
HAWTHORNE RICHARD J. LONIA
PLAT CABINET 1, SLIDE 331, PLAT 18
DEED BOOK 1008 PAGE 871



Tab 1 Side 339 Plat 12

DATE	SCALE
6/15/18	1" = 100'
DESIGNED BY	CHECKED BY
D.P.P.	R.A.P.
REVISIONS	
1. NO SITE EXISTENCE TO BE SHOWN	
2. LOT 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64	
3. SUBDIVISION MAP	
SHEET	
20 F 7	

LAND SURVEYING SERVICES PROVIDED FOR:


17 Arlington Street
www.brooksassoc.com Fax: 1-828-232-1521
Asheville, N.C. 28801
Phone: 1-828-232-4700

SUBDIVISION MAP FOR:
PINNACLE SHORES AT LAKE GASTON
DEED BOOK 1008 AT PAGE 880
PLAT CABINET 1, SLIDE 331, PLAT #9
HAWTREE TOWNSHIP
WARREN COUNTY, NORTH CAROLINA

PROFESSIONAL LAND SURVEYING SERVICES BY:

ESP ASSOCIATES, INC.
GEOMATICS • MOBILE • HYDROGRAPHIC • SUBSURFACE
211 Racine Drive, Suite 101
Wilmington, North Carolina 28403
(910) 444-3899 / www.espassociates.com / License # F-1407

Cab 1 slide 339 Plat 13



NOW OR FORMERLY
FETTE, C. J. & OTHERS
PLAT CABINET 1, SLIDE 339, PLAT #3
DEED BOOK 828 PAGE 48

DATE	SCALE
6/15/18	1" = 100'
DRAWN BY	CHECKED BY
D.P.P.	R.A.P.
REVISIONS	
NO. DATE REVISION	
1 6/15/18 1" = 100' LAYOUT	
2 6/15/18 1" = 100' LAYOUT	
3 6/15/18 1" = 100' LAYOUT	
4 6/15/18 1" = 100' LAYOUT	
5 6/15/18 1" = 100' LAYOUT	
6 6/15/18 1" = 100' LAYOUT	
7 6/15/18 1" = 100' LAYOUT	
8 6/15/18 1" = 100' LAYOUT	
9 6/15/18 1" = 100' LAYOUT	
10 6/15/18 1" = 100' LAYOUT	
11 6/15/18 1" = 100' LAYOUT	
12 6/15/18 1" = 100' LAYOUT	
13 6/15/18 1" = 100' LAYOUT	
14 6/15/18 1" = 100' LAYOUT	
15 6/15/18 1" = 100' LAYOUT	
16 6/15/18 1" = 100' LAYOUT	
17 6/15/18 1" = 100' LAYOUT	
18 6/15/18 1" = 100' LAYOUT	
19 6/15/18 1" = 100' LAYOUT	
20 6/15/18 1" = 100' LAYOUT	
21 6/15/18 1" = 100' LAYOUT	
22 6/15/18 1" = 100' LAYOUT	
23 6/15/18 1" = 100' LAYOUT	
24 6/15/18 1" = 100' LAYOUT	
25 6/15/18 1" = 100' LAYOUT	
26 6/15/18 1" = 100' LAYOUT	
27 6/15/18 1" = 100' LAYOUT	
28 6/15/18 1" = 100' LAYOUT	
29 6/15/18 1" = 100' LAYOUT	
30 6/15/18 1" = 100' LAYOUT	
31 6/15/18 1" = 100' LAYOUT	
32 6/15/18 1" = 100' LAYOUT	
33 6/15/18 1" = 100' LAYOUT	
34 6/15/18 1" = 100' LAYOUT	
35 6/15/18 1" = 100' LAYOUT	
36 6/15/18 1" = 100' LAYOUT	
37 6/15/18 1" = 100' LAYOUT	
38 6/15/18 1" = 100' LAYOUT	
39 6/15/18 1" = 100' LAYOUT	
40 6/15/18 1" = 100' LAYOUT	
41 6/15/18 1" = 100' LAYOUT	
42 6/15/18 1" = 100' LAYOUT	
43 6/15/18 1" = 100' LAYOUT	
44 6/15/18 1" = 100' LAYOUT	
45 6/15/18 1" = 100' LAYOUT	
46 6/15/18 1" = 100' LAYOUT	
47 6/15/18 1" = 100' LAYOUT	
48 6/15/18 1" = 100' LAYOUT	
49 6/15/18 1" = 100' LAYOUT	
50 6/15/18 1" = 100' LAYOUT	
51 6/15/18 1" = 100' LAYOUT	
52 6/15/18 1" = 100' LAYOUT	
53 6/15/18 1" = 100' LAYOUT	
54 6/15/18 1" = 100' LAYOUT	
55 6/15/18 1" = 100' LAYOUT	
56 6/15/18 1" = 100' LAYOUT	
57 6/15/18 1" = 100' LAYOUT	
58 6/15/18 1" = 100' LAYOUT	
59 6/15/18 1" = 100' LAYOUT	
60 6/15/18 1" = 100' LAYOUT	
61 6/15/18 1" = 100' LAYOUT	
62 6/15/18 1" = 100' LAYOUT	
63 6/15/18 1" = 100' LAYOUT	
64 6/15/18 1" = 100' LAYOUT	
65 6/15/18 1" = 100' LAYOUT	
66 6/15/18 1" = 100' LAYOUT	
67 6/15/18 1" = 100' LAYOUT	
68 6/15/18 1" = 100' LAYOUT	
69 6/15/18 1" = 100' LAYOUT	
70 6/15/18 1" = 100' LAYOUT	
71 6/15/18 1" = 100' LAYOUT	
72 6/15/18 1" = 100' LAYOUT	
73 6/15/18 1" = 100' LAYOUT	
74 6/15/18 1" = 100' LAYOUT	
75 6/15/18 1" = 100' LAYOUT	
76 6/15/18 1" = 100' LAYOUT	
77 6/15/18 1" = 100' LAYOUT	
78 6/15/18 1" = 100' LAYOUT	

LAND SURVEYING SERVICES PROVIDED FOR:

BROOKS
ENGINEERING ASSOCIATES

17 Arlington Street
www.brooksassoc.com Fax: 1-828-232-1331
Asheville, N.C. 28801
Phone: 1-828-232-4700

SUBDIVISION MAP FOR:

PINNACLE SHORES AT LAKE GASTON


DEED BOOK 1008 AT PAGE 880
PLAT CABINET 1, SLIDE 331, PLAT #9
HAWTREE TOWNSHIP
WARREN COUNTY, NORTH CAROLINA

PROFESSIONAL LAND SURVEYING SERVICES BY:

ESP ASSOCIATES, INC
GEOMATICS · MOBILE · HYDROGRAPHIC · SUBSURFACE

211 Racine Drive, Suite 101
Wilmington, North Carolina 28403
(910) 444-3899 / www.espassociates.com / License # F-1407

Cab 1 slide 339 Plat 14



DATE	6/15/18
SCALE	1" = 100'
DRAWN BY	D.P.P.
CHECKED BY	R.A.P.
REVISIONS	
DESCRIPTION	SUBDIVISION MAP
SHEET	5 OF 7

LAND SURVEYING SERVICES PROVIDED FOR:

BROOKS
ENGINEERING ASSOCIATES

17 Arlington Street
www.brooksinc.com Fax
1-828-232-1331
Asheville, N.C. 28801
Phone: 1-828-232-4700

SUBDIVISION MAP FOR:

PINNACLE SHORES AT LAKE GASTON


DEED BOOK 1008 AT PAGE 880
PLAT CABINET 1, SLIDE 331, PLAT #9
HAWTREE TOWNSHIP
WARREN COUNTY, NORTH CAROLINA

PROFESSIONAL LAND SURVEYING SERVICES BY:

ESP ASSOCIATES, INC
GEOMATICS • MOBILE • HYDROGRAPHIC • SUBSURFACE

211 Racine Drive, Suite 101
Wilmington, North Carolina 28403
(910) 444-3899 / www.esassociates.com / License # F-1407

Col 1 slide 339 Plat 15



6 OF 7

LAND SURVEYING SERVICES PROVIDED FOR:



17 Arlington Street
www.brooksea.com Fax
1-828-232-1331
Asheville, N C 28801
Phone 1-828-232-4700

SUBDIVISION MAP FOR:
PINNACLE SHORES AT LAKE GASTON
DEED BOOK 1008 AT PAGE 880
PLAT CABINET 1, SLIDE 331, PLAT #9
HAWTREE TOWNSHIP
WARREN COUNTY, NORTH CAROLINA

PROFESSIONAL LAND SURVEYING SERVICES BY:



ESP ASSOCIATES, INC
GEOMATICS • MOBILE • HYDROGRAPHIC • SUBSURFACE

211 Racine Drive, Suite 101
Wilmington, North Carolina 28403
(910) 444-3899 / www.espassociates.com / License # F-1407

Warren Co. ROD
6-19-18 @ 10:38am
Darius Reed, Deputy

Tab 1 slide 339 Plat 17



Curve #	Length	Radius	Delta	Chord Direction	Chord Length
C1	598.86	1950.00	17.54	S87° 54' 25"E	594.54
C2	50.92	450.00	6.48	S16° 06' 17"W	50.88
C3	368.90	450.00	48.67	S4° 08' 20"E	358.66
C4	389.71	500.00	41.22	S7° 00' 50"E	352.00
C5	249.68	250.00	57.22	S41° 26' 08"E	239.43
C6	328.18	250.00	75.44	S32° 19' 30"E	305.91
C7	307.00	195.00	90.20	S39° 42' 20"E	278.28
C8	74.06	100.00	42.44	S85° 33' 37"W	72.38
C9	240.02	533.25	25.85	S2° 47' 26"W	238.59
C10	92.07	400.00	13.19	S9° 07' 25"W	91.86
C11	108.22	250.00	25.03	S19° 02' 45"W	108.36
C12	372.03	1154.23	18.47	S16° 19' 41"W	370.42
C13	153.32	100.00	87.85	S45° 01' 08"W	138.74
C14	272.61	528.90	29.53	S82° 10' 35"W	269.60
C15	118.82	100.00	68.13	N78° 31' 21"W	112.03
C16	265.40	500.00	30.41	N29° 14' 59"W	262.29
C17	148.68	500.00	17.04	N5° 31' 29"W	148.14
C18	112.24	500.00	12.88	N8° 25' 31"E	112.01
C19	195.09	500.00	37.26	N2° 46' 23"W	191.67
C20	48.09	425.00	6.48	S16° 06' 17"W	48.06
C21	117.59	475.00	14.18	S17° 15' 15"W	117.29

Curve #	Length	Radius	Delta	Chord Direction	Chord Length
C22	16.78	10.00	98.16	S53° 14' 40"W	14.86
C23	13.16	10.00	75.42	S40° 57' 46"E	12.23
C24	123.52	475.00	14.80	S19° 42' 08"E	123.17
C25	78.53	475.00	9.47	S22° 53' 15"E	78.44
C26	112.04	475.00	13.51	S20° 51' 59"E	111.78
C27	133.36	475.00	16.09	S9° 03' 58"E	132.92
C28	98.33	475.00	11.62	S7° 47' 11"W	96.16
C29	94.50	275.00	19.69	S3° 45' 07"W	94.03
C30	16.21	10.00	92.85	S40° 20' 04"W	14.49
C31	21.16	125.00	9.70	N78° 04' 17"W	21.13
C32	33.82	125.00	15.50	S89° 19' 44"W	33.71
C33	13.63	10.00	78.12	N65° 21' 46"W	12.60
C34	160.33	275.00	33.40	N17° 00' 20"W	158.07
C35	78.42	275.00	18.34	N67° 52' 36"W	78.15
C36	110.33	225.00	28.09	S55° 59' 54"E	109.23
C37	163.38	225.00	41.60	S27° 09' 05"E	159.80
C38	22.57	225.00	5.75	S2° 31' 20"W	22.56
C39	54.99	220.00	14.32	S1° 45' 55"E	54.85
C40	108.91	220.00	28.36	S32° 06' 31"E	107.80
C41	99.06	220.00	25.80	S50° 11' 23"E	98.22
C42	83.59	220.00	21.72	S73° 56' 52"E	82.89

Curve #	Length	Radius	Delta	Chord Direction	Chord Length
C43	15.38	10.00	88.12	S40° 44' 55"E	13.91
C44	131.01	598.25	13.45	S3° 24' 48"E	130.71
C45	10.47	10.00	80.00	S19° 51' 48"W	10.00
C46	90.77	60.00	88.68	S6° 31' 27"W	82.36
C47	84.91	60.00	81.08	S77° 21' 21"E	78.00
C48	115.60	60.00	110.39	N6° 54' 30"E	98.53
C49	22.88	60.00	21.85	N59° 12' 36"W	22.75
C50	10.47	10.00	60.00	N40° 08' 12"W	10.00
C51	105.63	598.25	11.91	N4° 10' 57"W	105.44
C52	115.70	598.25	13.04	N6° 17' 35"E	115.45
C53	8.01	598.25	0.90	N15° 15' 57"E	8.01
C54	49.10	425.00	6.82	S12° 24' 27"W	49.08
C55	48.72	425.00	6.57	S5° 48' 49"W	48.69
C56	75.66	225.00	19.27	N12° 09' 45"E	75.30
C57	22.64	225.00	5.77	N24° 40' 43"E	22.63
C58	104.98	1179.23	5.10	S25° 00' 41"W	104.95
C59	164.10	1179.23	7.97	S18° 26' 28"W	163.97
C60	111.00	1179.23	5.39	S11° 47' 28"W	110.86
C61	56.48	75.00	43.14	N50° 40' 00"E	55.15
C62	56.52	75.00	44.70	N74° 35' 28"E	57.04
C63	285.50	553.90	29.53	S82° 10' 35"W	282.35

PROFESSIONAL LAND SURVEYING SERVICES BY:

ESP ASSOCIATES, INC
 GEOMATICS • MOBILE • HYDROGRAPHIC • SUBSURFACE
 211 Racine Drive, Suite 101
 Wilmington, North Carolina 28403
 (910) 444-3899 / www.espassociates.com / License # F-1407

SUBDIVISION MAP FOR:

PINNACLE SHORES AT LAKE GASTON
 DEED BOOK 1008 AT PAGE 880
 PLAT CABINET 1, SLIDE 331, PLAT #9
 HAWTREE TOWNSHIP
 WARREN COUNTY, NORTH CAROLINA

LAND SURVEYING SERVICES PROVIDED FOR:

BROOKS
 ENGINEERING ASSOCIATES
 17 Ardington Street
 www.brooksdata.com Fax
 1-828-232-1331
 Asheville, N.C. 28601
 Phone: 1-828-232-4700

DATE: 6/15/18 SCALE:

DRAWN BY: D.P.P. CHECKED BY: R.A.P.

REVISIONS:

THIS MAP IS A PART OF A SUBDIVISION MAP FOR THE PINNACLE SHORES AT LAKE GASTON, DEED BOOK 1008 AT PAGE 880, PLAT CABINET 1, SLIDE 331, PLAT #9, HAWTREE TOWNSHIP, WARREN COUNTY, NORTH CAROLINA. IT IS TO BE USED IN CONNECTION WITH THE SUBDIVISION MAP.

SHEET 7 OF 7